

# REBOXX 36" WHEEL APPLICATION CHART

399 River Road, Hudson, MA 01749

978-568-9941 / 800-935-2195

www.reboxx.com

Copyright © 1999 REBOXX

Manufacturer & Truck Type	Mfgr Part #	Axle Length Range (in inches)	Roll Test as mfgd	REBOXX Part #	Roll Test
				Old part #WS3 is now 36-1 Old part #WS4 is now 36-2	w/REBOXX wheelsets
<b>Accurail</b>					
Barber S-2		0.989 - 0.994	14	36-1-1.015	24
<b>AHM</b>					
Heavyweight 6 wheel		1.025 - 1.026	1	36-1-1.015	18
Streamline	8962	1.016 - 1.022	6	36-1-1.015	15
Streamline	8963	1.016 - 1.021	6	36-1-1.015	15
<b>Athearn</b>					
Buckeye 6 wheel	90407	1.035 - 1.037	12	36-1-1.045	18
4 Wheel Observation	90414			TBA	
4 Wheel Passenger w/pick-up	90379			36-1-1.025/1.045	
4 Wheel Passenger w/plastic wheels	90410			TBA	
6 Wheel w/pick-up	90380			TBA	
6 Wheel Talgo	90413	1.019 - 1.023	8	36-1-1.035	20
Streamline Talgo	90411			36-1-1.025	
Streamline Observation	90412			TBA	
Hyatt RB 36"	90401	1.021 - 1.024	15	36-1-1.035	24
<b>Atlas</b>					
Roller Bearing 100T 36"		1.028 - 1.029	25	36-1-1.030	25
<b>Bachmann</b>					
100T RB w/metal 36" wheels		1.018 - 1.022	14	36-1-1.025	27
4 Axle Passenger PRR style metal		1.019 - 1.022	11	36-1-1.025	21
4 Axle Passenger woodbeam style metal		1.017 - 1.018	13	36-1-1.025	21
6 Axle Passenger metal		1.021 - 1.023	18	36-1-1.025	21
<b>Bethlehem</b>					
Four Wheel Passenger	95	1.012	4	36-1-1.025	9
Four Wheel Top Equalized	99	1.012	10	36-1-0.950	14
PRR Four Wheel Roller Bearing	121	1.012	9	36-1-1.015	15
Standard Motor Truck Four Wheel Passenger	92	1.012	5	36-1-1.005	16
<b>Branchline</b>					
Four Wheel Passenger				36-1-1.000	
Six Wheel Passenger				36-1-0.990	
<b>Central Valley</b>					
Four Wheel Streamline			6	36-2-1.025	9
Six Wheel Passenger	T-25			36-1-1.035	
<b>Bowser</b>					
Roller Bearing 100T Barber S-2 36"	74256	1.019 - 1.025	22	36-1-1.030	25

# REBOXX 36" WHEEL APPLICATION CHART

399 River Road, Hudson, MA 01749

978-568-9941 / 800-935-2195

www.reboxx.com

Copyright © 1999 REBOXX

Manufacturer & Truck Type	Mfgr Part #	Axle Length Range (in inches)	Roll Test as mfgd	REBOXX Part # <small>Old part #WS3 is now 36-1 Old part #WS4 is now 36-2</small>	Roll Test w/REBOXX wheelsets
<b>Con-Cor</b>					
Barber S-2 36" brass wheels	99221	1.014 - 1.016	21	36-1-1.025	24
Barber S-2 36" plastic wheels		1.020 - 1.021	0	36-1-1.000	24
Express		1.014 - 1.022	14	36-1-1.035	23
Streamline Passenger		1.018 - 1.020	15	36-1-1.015	20
<b>E&amp;B Valley</b>					
"American Flyer"			1	36-1-1.010	19
<b>E&amp;C Shops</b>					
Barber S-2 w/plastic wheels		1.029 - 1.031	9	36-1-1.030	18
Barber S-2 w/metal wheels		1.006 - 1.015	0	36-1-1.030	15
<b>Eastern Car Works</b>					
ACF Express Reefer	9041	n/a	n/a	36-1-1.000	23
Barber S-2 RB	9054	n/a	n/a	36-1-1.000	25
Buckeye 125 Ton	9058	n/a	n/a	36-1-0.990	20
Commonwealth Express	9040	n/a	n/a	36-1-1.020	16
Commonwealth Swing Motion	9004	n/a	n/a	36-1-1.015	18
PRR 2D-P5	9001	n/a	n/a	36-1-1.015	16
PRR 2D-E5 41-N	9002			TBA	
PRR 3D-P1, 3D-P7	9011/9021	n/a	n/a	36-1-1.010	22
Pullman-Standard	9005	n/a	n/a	36-1-1.020	18
Pullman-Standard Lightweight	9003			36-1-1.015	18
Pullman-Standard 41-BNO	9007			TBA	
Pullman-Standard 41-HL-11	9008			TBA	
Pullman-Standard 41-HR	9009	n/a	n/a	36-1-1.035	18
Pullman-Standard 242 Top Equalized	9012/9022			TBA	
Pullman Standard 61 NO	9013/9023			TBA	
Taylor	9006			TBA	
<b>Funaro &amp; Camerlengo</b>					
Stillwell Coach Truck		n/a	n/a	36-1-1.020	n/a
<b>Front Range</b>					
Barber S-2		1.011 - 1.026	22	36-1-1.025	28
Barber S-2 w/bearing caps		n/a		n/a	

# REBOXX 36" WHEEL APPLICATION CHART

399 River Road, Hudson, MA 01749

978-568-9941 / 800-935-2195

www.reboxx.com

Copyright © 1999 REBOXX

Manufacturer & Truck Type	Mfgr Part #	Axle Length Range (in inches)	Roll Test as mfgd	REBOXX Part # <i>Old part #WS3 is now 36-1</i> <i>Old part #WS4 is now 36-2</i>	Roll Test w/REBOXX wheelsets
<b>IHC</b>					
Commonwealth 4 wheel passenger, black	4240	0.973 - 0.074	10	36-1-0.985	n/a
Commonwealth 4 wheel passenger, silver	4241	0.973 - 0.974	10	36-1-0.985	n/a
6 Wheel Heavyweight friction bearing, silver all metal, sprung (non-standard cone)	4257	0.976 - 0.978	6	36-1-0.970	10
<b>InterMountain</b>					
Barber S-2 w/plastic 36" wheels, equalized	40001	0.994 - 1.006	16	36-1-1.025	27
Barber S-2 w/metal 36" wheels, equalized	40060	1.009 - 1.012	11	TBA	
<b>Kadee</b>					
Standard RB 36"	513	1.016 - 1.019	12	36-2-1.015	16
<b>Life-Like</b>					
100T RB 36"	21256	1.010 - 1.012	15	36-1-1.015	25
<b>MDC</b>					
Woodbeam	2932	1.019 - 1.022	9	36-1-1.025	21
Woodbeam	2936	1.023 - 1.029	0	36-1-1.015	28
PRR Roller Bearing	2933	10.30 - 10.31	10	36-1-1.025	22
Challenger	2934	1.019 - 1.020	9	36-1-1.025	18
Commonwealth	2935	10.24 - 1.029	10	36-1-1.025	19
<b>Model Power</b>					
100T RB		1.022 - 1.028	14	36-1-1.025	23
<b>Old Pullman</b>					
Timken roller bearing 36" black label	40031			TBA	
<b>Rapido</b>					
4 wheel passenger				36-1-0.960	
<b>Tichy</b>					
Express				36-1-1.025	
<b>Walthers</b>					
100 T RB		1.011 - 1.016	21	36-1-1.025	25
GSC Passenger w/metal wheels	996	1.022 - 1.023	3	36-1-1.005	18